

Safety Data Sheet

Specialty 835

Date: 05/17/2021

Version: 2

1. Identification

1.1. Product identifier

Product Identity Specialty 835

Alternate Names Specialty 835

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Etchant.

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name U.S. Specialty Color Corporation
5624 Cannon Drive
Monroe, NC 28110

Emergency

24 hour Emergency Telephone No. 1-800-424-9300

Customer Service: U.S. Specialty Color Corporation 704-292-1476

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Corr. 1A;H314 Causes severe skin burns and eye damage.
Eye Damage 1;H318 Causes serious eye damage.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

[Prevention]:

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

Safety Data Sheet

Specialty 835

Date: 05/17/2021

Version: 2

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P363 Wash contaminated clothing before reuse.

P308+313 IF exposed or concerned: Get medical advice / attention.

[Storage]:

No GHS storage statements.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|-------------------------------------------|----------|-----------------------------------------|-------|
| Sodium hydroxide CAS Number: 1310-73-2 | 50 - 80 | Skin Corr. 1A;H314 Eye Damage 1;H318 | [1] |
| Surfactants CAS Number: Proprietary | 25 - 50 | Not Classified | [1] |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

| | |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General | In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. |
| Inhalation | Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth. |
| Eyes | Immediately flush the eyes with large amounts of water for at least 15 minutes, alternately lifting the upper and lower eyelids. After 5 minutes, if appropriate, remove contact lenses and continue flushing the eyes for an additional 15 minutes. Call a physician at once. |
| Skin | Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. |
| Ingestion | If conscious, give victim two glasses of water to dilute ingested material. Get immediate medical attention. |

Safety Data Sheet

Specialty 835

Date: 05/17/2021

Version: 2

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Overview | Emergency overview |
| | Harmful if inhaled. Contact with eyes may cause severe irritation and may cause burns, loss of vision. Harmful if swallowed. |
| Inhalation | Corrosive, destructive to tissues of mucous membranes and upper respiratory tract. |
| Ingestion | Corrosive, swallowing can cause severe burns of mouth, throat, stomach, leading to death. |
| Skin | Corrosive, can cause severe irritation to the skin. |
| Eye | Corrosive, can cause blurred vision, redness, tissue burns and severe irritation. |

5. Fire-fighting measures

5.1. Extinguishing media

As appropriate for surrounding fire. Not considered to be a fire hazard.

5.2. Special hazards arising from the substance or mixture

Hazardous composition products: Burning may produce sodium oxides.

5.3. Advice for fire-fighters

Fire-fighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Wear prescribed protective equipment. Vacuum or sweep up material and place in a designated container immediately. Prevent run off to drains, sewers or other public waterways.

Waste material may be disposed of by a licensed waste facility contractor.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Eating, drinking, and smoking should be prohibited in areas where this material is handled. Wash hands and face before eating, drinking, and smoking. Put on appropriate personal protective equipment (see section 8).

See section 2 for further details. - [Prevention]:

Safety Data Sheet

Specialty 835

Date: 05/17/2021

Version: 2

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: No data available.

Store in original container, in a cool, dry location. Close package tightly after removal of product.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|-------------|------------------|----------|----------------------|
| 1310-73-2 | Sodium hydroxide | OSHA | TWA : 2.00 mg/m3 |
| | | ACGIH | TLV: 2.00 mg/m3 |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| Proprietary | Surfactants | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m3 (50 mppcf*) TWA, ACGIH 10 mg/m3.

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|-------------|------------------|--------|--------------------------------------------------------------------|
| 1310-73-2 | Sodium hydroxide | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| Proprietary | Surfactants | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |

8.2. Exposure controls

Respiratory

If risk assessment indicates this is necessary, an appropriate NIOSH approved respirator for dust should be worn. Use type N95 (US) or type P3 (EN 143).

Eyes

Use chemicals safety goggles / or a full face shield where splashing is possible..

Skin

Wear a rubber or plastic apron. Wear clothing suitable to avoid skin contact and clean after every shift. Wear impermeable rubber or plastic gloves.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

Safety Data Sheet

Specialty 835

Date: 05/17/2021

Version: 2

suitable respiratory protection must be worn.

Other Work Practices Eye wash fountain and emergency showers are recommended. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

| | |
|--------------------------------------------------------|------------------------------------------------------------------------------------------|
| Appearance | White Powder |
| Odor | Not Measured |
| Odor threshold | Not Measured |
| pH | Not Measured |
| Melting point / freezing point | 604F / Not Measured |
| Initial boiling point and boiling range | 2,534F |
| Flash Point | Not Measured |
| Evaporation rate (Ether = 1) | Not Measured |
| Flammability (solid, gas) | Not Applicable |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured |
| Vapor pressure (Pa) | Not Measured |
| Vapor Density | Not Measured |
| Specific Gravity | Not Measured |
| Solubility in Water | Not Measured |
| Partition coefficient n-octanol/water (Log Kow) | Not Measured |
| Auto-ignition temperature | Not Measured |
| Decomposition temperature | Not Measured |
| Viscosity (cSt) | Not Measured |
| Solubility in Water | Not Measured |

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Safety Data Sheet

Specialty 835

Date: 05/17/2021

Version: 2

Moisture.

10.5. Incompatible materials

Strong oxidizing agents and acids..

10.6. Hazardous decomposition products

When used and handled as directed, none.

11. Toxicological information

Acute toxicity

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|--------------------------------|----------------------|----------------------|---------------------------------------|-------------------------------------------|--------------------------------|
| Sodium hydroxide - (1310-73-2) | No data available | No data available | No data available | No data available | No data available |
| Surfactants - (Proprietary) | No data available | No data available | No data available | No data available | No data available |

Skin and eye corrosion/irritation:

Sodium hydroxide: skin, rabbit: 24 h severe burns.

Sodium hydroxide: eye rabbit: 24 h corrosive.

| Classification | Category | Hazard Description |
|-------------------------------|----------|----------------------------------------------------------------------------|
| Acute toxicity (oral) | --- | Not Applicable |
| Acute toxicity (dermal) | --- | Not Applicable |
| Acute toxicity (inhalation) | --- | Not Applicable |
| Skin corrosion/irritation | 1A | Not Applicable |
| Serious eye damage/irritation | 1 | Not Applicable |
| Respiratory sensitization | --- | May cause allergy or asthma symptoms of breathing difficulties if inhaled. |
| Skin sensitization | --- | May cause an allergic skin reaction. |
| Germ cell mutagenicity | --- | Not Applicable |
| Carcinogenicity | --- | Not Applicable |
| Reproductive toxicity | --- | Not Applicable |
| STOT-single exposure | --- | Not Applicable |
| STOT-repeated exposure | --- | Not Applicable |
| Aspiration hazard | --- | Not Applicable |

12. Ecological information

12.1. Toxicity

Safety Data Sheet

Specialty 835

Date: 05/17/2021

Version: 2

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l |
|--------------------------------|-----------------------|----------------------------|-------------------|
| Sodium hydroxide - (1310-73-2) | Gambusia - 125 | Daphnia - 34.59 | Not Available |
| Surfactants - (Proprietary) | Not Available | Not Available | Not Available |

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

| | DOT (Domestic Surface Transportation) | IMO / IMDG (Ocean Transportation) | ICAO/IATA |
|-------------------------------------------|-------------------------------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------|
| 14.1. UN number | 1759 | 1759 | 1759 |
| 14.2. UN proper shipping name | UN1759, Corrosive Solid, N.O.S. (sodium hydroxide), 8 PG II | UN1759, Corrosive Solids, N.O.S. (sodium hydroxide), 8 PG II | UN1759, Corrosive Solids, N.O.S. (sodium hydroxide), 8 PG II |
| 14.3. Transport hazard class(es) | DOT Hazard Class: 8 | IMDG: 8 Sub Class: Not Applicable | Air Class: 8 |
| 14.4. Packing group | II | II | II |
| 14.5. Environmental hazards | | | |
| IMDG | Marine Pollutant: No | | |
| 14.6. Special precautions for user | Danger: Corrosive substance (sodium hydroxide) | | |

Safety Data Sheet

Specialty 835

Date: 05/17/2021

Version: 2

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification E

US EPA Tier II Hazards

Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes

Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs (lbs):

Sodium hydroxide (1,000.00)

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Sodium hydroxide

Pennsylvania RTK Substances (>1%):

Sodium hydroxide

International Regulations:

RoHS3: This product been manufactured in compliance with EU Directive 2011/65/EU and the most recent Directive 2015/863.

REACH: This product has been manufactured in compliance with the EU REACH (Registration, Evaluation, Authorization of Chemicals) directive on the restriction of the use of SVHC (Substances of Very High Concern).

Safety Data Sheet

Specialty 835

Date: 05/17/2021

Version: 2

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Original Issue Date: 05/26/2015

Revision Date: 05/17/2021

Revision Notes:

RoHS3 and REACH compliance added to SDS.

We believe all the data and information given is accurate as of the date of preparation and is offered in good faith, but without warranty or representation. Since conditions of use are beyond our control, we disclaim all liability for reliance thereon. This is offered solely for your consideration, investigation and verification.

End of Document